CLASS 2

BUILDING PRODUCT INFORMATION SHEET

Product name:

CLEVER CORE PANELISED HOME

Product line (the product line from which the product is customised):

N/A

Product description and its intended use (measurements, materials, usage):

A CLEVER CORE PANELISED HOME is a product that comprises panelised walls, panelised floors and modular roof cassettes that provide a temporary weathertight core and contains these products:

Product	Supplier	Intended use	Link to product statement
NPI LVL8: 90 x 45mm Azotek H1.2 (6m) 140 x 45mm Azotek H1.2 (6m) 190 x 45mm Azotek H1.2 (6m) 290 x 45mm Azotek H1.2 (6m) 240 x 45mm Azotek H1.2 (6m) 300 x 45mm Azotek H1.2 (6m) 0 300 x 45mm 0 300 x 45mm Azotek H1.2 (6m) 0 300 x 45mm Azotek H1.2 (7m) (7m	Nelson Pine	Used in panelised wall, floor and roof cassettes.	NelsonPine-LVL-Product- Technical-Statement.pdf
NPI LVL11: • 240 x 90mm Azotek H1.2 (6m or More) • 300 x 45mm Azotek H1.2	Nelson Pine	Used in panelised wall, floor and roof cassettes.	<u>NelsonPine-LVL-Product-</u> <u>Technical-Statement.pdf</u>

Product	Supplier	Intended use	Link to product statement
• 300 x 90mm			
Azotek H1.2			
• 90 x 45mm			
Azotek H1.2			
(12m)			
• 140 x 45mm			
Azotek H1.2			
(6m)			
• 240 x 45mm			
Azotek H1.2			
(6m or			
More)			
• 190 x 45mm			
Azotek H1.2			
(6m or			
More)			
• 90 x 35mm			
Azotek H1.2			
(6m)			
• 140 x 35mm			
Azotek H1.2			
(6m) NPI LVL13 300 x	Nelson Pine	Llood in populicod	Nelsen Dine IVII. Dreduct
45mm Azotek H1.2	Neison Pille	Used in panelised wall, floor, and	NelsonPine-LVL-Product- Technical-Statement.pdf
(6m)		roof cassettes.	<u>recinical-statement.pur</u>
GIB Standard	Placemakers	Used in panelised	https://www.gib.co.nz/assets/U
Wallboard:		wall.	ploads/01BPI-GIB-Standard-
• 2400 x 1200			GIB-Wideline-GIB-Ultraline-and-
10mm			GIB-Patch-board.pdf
Wallboard			
• 2700 x 1200			
10mm			
• 3000 x 1200			
10mm			
• 4200 x 1200			
10mm			
• 3600 x 1200			
10mm			
• 4800 x 1200			
10mm			
• 2400 x 1200			
13mm			
• 2700 x 1200			
13mm			
• 3000 x 1200			
13mm			
• 3300 x 1200			
13mm			

Product	Supplier	Intended use	Link to product statement
 3600 x 1200 13mm 4200 x 1200 13mm 4800 x 1200 13mm 6000 x 1200 13mm 			
J-Frame 8 90 x 45 LVL H1.2 (6m) 140 x 45 (6m) LVL H1.2 (6m) 240 x 45 H1.2 (6m)	Juken NZ	Used in panelised wall, floor, and roof cassettes.	Item is Codemarked and therefore a Building Product Information Sheet is not required.
J-Frame 11 90 x 45 LVL H1.2 (6m) 140 x 45 (6m) LVL H1.2 (6m) 240 x 45 H1.2 (6m)	Juken NZ	Used in panelised wall, floor, and roof cassettes.	Item is Codemarked and therefore a Building Product Information Sheet is not required.
GIB Aqualine Wallboard:	Placemakers	Used in panelised wall.	https://www.gib.co.nz/assets/U ploads/BPIR/02BPI-GIB- Aqualine-and-GIB-Toughline- Aqua.pdf
GIB Brace Noiseline Wallboard: • 2400 x 1200 10mm • 2700 x 1200 10mm	Placemakers	Used in panelised wall.	https://www.gib.co.nz/assets/U ploads/BPIR/03BPI-GIB- Braceline-Noiseline-GIB- Fyreline-and-GIB- Toughline_2.pdf

Product	Supplier	Intended use	Link to product statement
 3600 x 1200 10mm 4800 x 1200 10mm TE/SE 4800 x 1350 10mm TE/SE GIB Wideline 	Placemakers	Used in panelised	https://www.gib.co.nz/assets/U
Wallboard: • 3600 x 1350 10mm TE/SE • 4800 x 1350 x 10mm TE/SE • 4800 x 1350 13mm TE/SE		wall, floor, and roof cassettes.	ploads/01BPI-GIB-Standard- GIB-Wideline-GIB-Ultraline-and- GIB-Patch-board.pdf
GIB Weatherline 2750 x 1200 10mm Wallboard	Placemakers	Used in panelised wall, floor, and roof cassettes.	https://www.gib.co.nz/assets/U ploads/BPIR/04BPI-GIB- Weatherline.pdf
GIB Fyreline 2750 x 1200 13mm Wallboard	Placemakers	Used in panelised wall, floor, and roof cassettes.	https://www.gib.co.nz/assets/U ploads/BPIR/03BPI-GIB- Braceline-Noiseline-GIB- Fyreline-and-GIB- Toughline_2.pdf
GIB Handibrac Galvanised Bracket	Placemakers	Used in panelised wall, and floor.	https://www.gib.co.nz/assets/U ploads/BPIR/13BPI-GIB- Handibrac-set.pdf
Gib Handibrac Bracket & Bolt 1PR Per Bag	Placemakers	Used in panelised wall, and floor.	https://www.gib.co.nz/assets/U ploads/BPIR/13BPI-GIB- Handibrac-set.pdf
GIB Grabber Drywall Screws 7g x 51mm Coarse Coll 1000BX13966	Placemakers	Used in panelised wall, floor, and roof cassettes.	https://www.gib.co.nz/assets/U ploads/BPIR/11BPI-GIB- Grabber-Gold-passivated- screws_2.pdf
GIB Grabber Drywall Screws 6g x 32mm 1,000pcs per packet	Placemakers	Used in panelised wall, floor, and roof cassettes.	https://www.gib.co.nz/assets/U ploads/BPIR/11BPI-GIB- Grabber-Gold-passivated- screws_2.pdf
Gib Grabber Drywall Screws 6g x 41mm ZP Collated H/Thrd	Placemakers	Used in panelised wall, floor, and roof cassettes.	https://www.gib.co.nz/assets/U ploads/BPIR/11BPI-GIB- Grabber-Gold-passivated- screws_2.pdf
GIB Grabber Drywall Screws 8g x 63mm SKU:4514976	Placemakers	Used in panelised wall, floor, and roof cassettes.	https://www.gib.co.nz/assets/U ploads/BPIR/11BPI-GIB-

Product	Supplier	Intended use	Link to product statement
			Grabber-Gold-passivated- screws 2.pdf
GIB Grabber Weatherline H/Thread Ceramic Coat Screw 6gx41mm	Placemakers	Used in panelised wall, floor, and roof cassettes.	https://www.gib.co.nz/assets/U ploads/BPIR/12BPI-GIB- Grabber-Weatherline- screws.pdf
GIB Weatherline Flashing Tape: • 30mm x 30m • 60mm x 30m • 100mm x 30m • 150mm x 30m	Placemakers	Used in panelised wall, floor, and roof cassettes.	https://www.gib.co.nz/assets/U ploads/BPIR/22BPI-GIB- Weatherline-Tapes.pdf
GIB Weatherline Sill Tape 150mm x 20m	Placemakers	Used in panelised wall.	https://www.gib.co.nz/assets/U ploads/BPIR/22BPI-GIB- Weatherline-Tapes.pdf
GIB Fire SoundSeal 600ml	Placemakers	Used in panelised walls, floors and roofs.	https://www.gib.co.nz/assets/U ploads/BPIR/16BPI-GIB-Fire- Soundseal.pdf
Pink Batts R2.2 1160x360x90 71650256; 9m2	Placemakers	Used in panelised wall and roof.	<u>Pink-Batts-Wall-Product-Data-</u> <u>Sheet-June-2023.pdf</u> (pinkbatts.co.nz)
Pink Batts R2.4W 1160x360x90 Thermal Insulation; 10.2m2	Placemakers	Used in panelised wall and roof.	Pink-Batts-Wall-Product-Data- Sheet-June-2023.pdf (pinkbatts.co.nz)
Pink Batts R2.8W 1160x360x90 SKU: 7160264; 4.594m2	Placemakers	Used in panelised wall and roof.	Pink-Batts-Wall-Product-Data- Sheet-June-2023.pdf (pinkbatts.co.nz)
Pink Batts R2.6W 1160x360x90 SKU: 7160263; 7.517m2	Placemakers	Used in panelised wall and roof.	Pink-Batts-Wall-Product-Data- Sheet-June-2023.pdf (pinkbatts.co.nz)
DLM Wallace Plascourse DPC: • 90mm x 30m • 150mm x 30m • 200mm x 30m	Placemakers	Used in panelised wall, floor, and roof cassettes.	Sharepoint Link: <u>DLM Wallace</u> <u>Plascourse 01.09.2023.pdf</u> Website: <u>Plascourse DPC – DLM</u> <u>Wallace, NZ</u>

Product	Supplier	Intended use	Link to product statement
200 x 25mm (180x18)	Placemakers	Used in panelised	https://chhply.co.nz/building-
Fascia RAD H3.1 FJ PP		wall, floor, and roof cassettes.	product-information/
Plywood Structural:	Placemakers	Used in panelised	https://chhply.co.nz/building-
• 2400 x 1200		wall, floor, and	product-information/
x 17mm		roof cassettes.	
H3.1			
• 2400 x 1200			
x 21mm			
H3.1			
Plywood Structural:	Placemakers	Used in panelised	https://chhply.co.nz/building-
• 2400 x 1200 x 17mm		wall, floor, and roof cassettes.	product-information/
x 17mm H3.2		Tool casselles.	
Treated CD			
 2400x1200x 			
18MM H3.2			
CD			
Plywood	Placemakers	Used in panelised	https://chhply.co.nz/building-
Construction		wall, floor, and	product-information/
2400x1200x15MM		roof cassettes.	
H3.2 CD			
Sika Nailbond	Placemakers	Used in panelised	https://nzl.sika.com/dam/dms/
Premium 600ml		wall, floor, and	nz01/2/Nailbond-Premium-
		roof cassettes.	MBIE-BPIS.pdf
Bremick Screw T17	Placemakers	Used in panelised	BPIR Details (bremick.co.nz)
Hex 12G 65mm B8		wall, floor, and	
100PK		roof cassettes.	
Bremick Screw T17	Placemakers	Used in panelised	BPIR Details (bremick.co.nz)
Hex 14g 75mm B8		wall, floor, and	
without Seal	Dissementions	roof cassettes.	
Bremick Screw T17 Hex 14g 100mm B8	Placemakers	Used in panelised wall, floor, and	BPIR Details (bremick.co.nz)
No NEO 100PK		roof cassettes.	
Bremick Screw	Placemakers	Used in panelised	BPIR Details (bremick.co.nz)
Surequick SQ ZC		wall, floor, and	
Sharp Point:		roof cassettes.	
• 8g x 20mm			
SKU:451521			
• 8G x 32mm			
• 8G x 40mm			
• 8G x 50mm			
• 8G x 65mm			
Gorilla Click & Fix Fire	Placemakers	Used in panelised	Gorilla Flexi Expanding Foam
Rated Expanding		wall and roof	Click & Fix Expanding Foam
Foam Aerosol 750ml H Packer Original	Placemakers	cassettes. Used in panelised	Soudal Gorilla H Packer Original Single
1.5mm Yellow 48801		wall and roof	Packs H Packers & Wedges
		cassettes.	Soudal
		<i>cassciles</i> .	<u>500001</u>

Product	Supplier	Intended use	Link to product statement
H Packer Original	Placemakers	Used in panelised	Gorilla H Packer Original Single
2.0mm Orange		wall and roof	Packs H Packers & Wedges
48802		cassettes.	Soudal
H Packer Original	Placemakers	Used in panelised	Gorilla H Packer Original Single
3.0mm Red 48803		wall and roof	Packs H Packers & Wedges
		cassettes.	<u>Soudal</u>
H Packer Original	Placemakers	Used in panelised	Gorilla H Packer Original Single
5.0mm Blue 48804		wall and roof	Packs H Packers & Wedges
		cassettes.	<u>Soudal</u>
H Packer Original	Placemakers	Used in panelised	Gorilla H Packer Original Single
6.0mm Black 48805H		wall and roof	Packs H Packers & Wedges
		cassettes.	<u>Soudal</u>
Sika PEF Backing Rod	Placemakers	Used in panelised	https://nzl.sika.com/dam/dms/
10mm x 50m		walls.	nz01/s/Sika-PEF-Rod-MBIE-
			BPIS.pdf
Nail Galv Jolt Head	Placemakers	Used in panelised	https://www.ecko.co.nz/bpir/
75mm x 3.15mm SKU		wall, floor, and	
: 3538358		roof cassettes.	
Nail Flat Head Galv	Placemakers	Used in panelised	https://www.ecko.co.nz/bpir/
40mm x 2.0mm SKU :		wall, floor, and	
3538316		roof cassettes.	
Gorilla Cleaner	Placemakers	Used in panelised	Gorilla Expanding Foam Cleaner
Expanding Foam		wall and roof.	Expanding Foam Soudal NZ
500ml SKU:4080066			
H.B Fuller Maxbond	Placemakers	Used in panelised	Max Bond PVA Woodworking
PVA Adhesive 500ml		wall, floor, and	Adhesive H.B. Fuller Australia
SKU: 4440756		roof cassettes.	(hbfuller.com.au)
Colour Premier Spray	Placemakers	Used in panelised	https://damarindustries.com/re
Paint 325g		wall, floor, and	tail/colourlab/
SKU:4114425	Diagonaliara	roof cassettes.	https://soctofactorage.com/si
PVC Wall Plug PVCR	Placemakers	Used in panelised	https://sestofasteners.co.nz/pa
38 6mm x 38mm		wall, floor, and	ges/bpir-documentation
SKU:4523979		roof cassettes.	
Bremick Screw T17	Placemakers	Used in panelised	BPIR Details (bremick.co.nz)
Hex Head 14g x		wall, floor, and	
90mm Galv WITH		roof cassettes.	
SEAL			
Bremick Screw	Placemakers	Used in panelised	BPIR Details (bremick.co.nz)
Surequick SQ SS		wall, floor, and	
Sharp point 10g x		roof cassettes.	
50MM			
Gorilla Flexi	Placemakers	Used in panelised	Gorilla Flexi Expanding Foam
Expanding Foam		wall, floor, and	Click & Fix Expanding Foam
Click & Fix		roof cassettes.	<u>Soudal</u>
SKU:4999652			
Cavity Batten H3.1	Placemakers	Used in panelised	https://www.claymark.co.nz/
KD GGD 50x25		wall, floor, and	
(45x20) @5.4 meters		roof cassettes.	
length			

Product	Supplier	Intended use	Link to product statement
Washer M12 57 x 3mm Round Galvanised	Placemakers	Used in panelised wall, floor, and roof cassettes.	BPIR Details (bremick.co.nz)
Washer M12 50 x 3mm Square Galvanised	Placemakers	Used in panelised wall, floor, and roof cassettes.	BPIR Details (bremick.co.nz)
Bremick M12 x 50 x 3 SQ Washer	Placemakers	Used in panelised wall, floor, and roof cassettes.	BPIR Details (bremick.co.nz)
Hardie 10x2 Pan Square S/S Screw T304 T17 S/FA SFPSQX102	Hardie Fasteners	Used in panelised wall, floor, and roof cassettes.	BPIR Summary #1812 » BPIR Ready
Rapid 140/12 Staples 5000PK PP Code: 1561821	NZ Safety Blackwoods	Used in panelised wall, floor, and roof cassettes.	Rapid High Performance Staples - NZ Safety Blackwoods Supplier has advised that a Building Product Information Sheet is not required
Harvey Blue Strap 19 x 0.55mm x 1000m Code : 1030708	NZ Safety Blackwoods	Used in panelised wall, floor, and roof cassettes.	<u>Harveys Polypropylene Strap -</u> <u>Blue - NZ Safety Blackwoods</u> Supplier has advised that a Building Product Information Sheet is not required
Makita 1016HD 10 x 16mm F32663	NZ Safety Blackwoods	Used in panelised wall, floor, and roof cassettes.	Makita Galvanised Staples - NZ Safety Blackwoods Supplier has advised that a Building Product Information Sheet is not required
Solitex Extanasa Adhero Strip 750mm x 30m	Pro Clima	Used in panelised wall and floor cassettes.	Pro Clima SOLITEX EXTASANA ADHERO [®] :: miproducts - NZs building products search engine
BEA Jumbo Coil Nail TC 2.8 x 50mm FV	BEA	Used in panelised wall, floor, and roof cassettes.	Clever Core has received a soft copy of the relevant product information statement, but this is not yet available on the supplier's website. A copy of this statement is available on request from Clever Core and refer also to the following link to the product details on the supplier's website: <u>Nail Type TC</u> <u>- BEA-Group</u>
BEA Nail D34 3.3 x 88mm BK Code : 10401417	BEA	Used in panelised wall, floor, and roof cassettes.	Clever Core has received a soft copy of the relevant product information statement, but this is not yet available on the supplier's website. A copy of this statement is available on request from Clever Core and refer also to the following link to

Product	Supplier	Intended use	Link to product statement
			the product details on the
			supplier's website: Downloads -
			BeA Website SE (bea-group.se)
BEA Staples 16/38 NK	BEA	Used in panelised	Clever Core has received a soft
HZ (38mm)		wall, floor, and	copy of the relevant product
Galvanized		roof cassettes.	information statement, but this
			is not yet available on the
			supplier's website. A copy of this
			statement is available on
			request from Clever Core and
			refer also to the following link to
			the product details on the
			supplier's website: Nail Type D-
			Head - BEA-Group
BEA Nail TC 28 x	BEA	Used in panelised	Clever Core has received a soft
65mm FV Ring Jumbo		wall, floor, and	copy of the relevant product
Wire Collated		roof cassettes.	information statement, but this
38500562			is not yet available on the
			supplier's website. A copy of this
			statement is available on
			request from Clever Core and
			refer also to the following link to
			the product details on the
			supplier's website: Nail Type BDC
			- BEA-Group
Strandfloor 3600 x	Laminex	Used in panelised	Document Browser
1200 x 20mm H3.1		wall, floor, and	<u>(laminex.co.nz)</u>
T&G (20 Shts/Pack)		roof cassettes.	
Strandfloor 3600 x	Laminex	Used in panelised	Document Browser
1200 x 20mm UT		wall, floor, and	<u>(laminex.co.nz)</u>
T&G (20 Shts/Pack)		roof cassettes.	
90 x 90mm H5 SG8	Placemakers	-	Microsoft Word - Structurally
Timber (6m)		wall, floor, and	Graded Timber 20230922
		roof cassettes.	(redstagtimber.co.nz)
75 x 50mm (70x45)	Red Stag Timber	Used in panelised	https://www.redstagtimber.co.
RAD SG8 H1.2 PG KD		wall, floor, and	nz/files/5816/9619/4679/Struct
		roof cassettes.	urally Graded Timber 202309
			<u>22.pdf</u>
150 x 40mm (140x35)	Red Stag Timber	Used in panelised	https://www.redstagtimber.co.
RAD SG8 H1.2 PG KD		wall, floor, and	nz/files/5816/9619/4679/Struct
		roof cassettes.	urally_Graded_Timber_202309
			<u>22.pdf</u>
200 x 50mm (190x45)	Red Stag Timber	Used in panelised	https://www.redstagtimber.co.
RAD SG8 H1.2 PG KD		wall, floor, and	nz/files/5816/9619/4679/Struct
(4.8m)		roof cassettes.	urally_Graded_Timber_202309
			<u>22.pdf</u>
150 x 50mm (140x45)	Red Stag Timber	Used in panelised	https://www.redstagtimber.co.
RAD SG8 H3.2 PG KD		wall, floor, and	nz/files/5816/9619/4679/Struct
CCA (6m)		roof cassettes.	urally_Graded_Timber_202309
			<u>22.pdf</u>

Product	Supplier	Intended use	Link to product statement
100 x 50mm (90x45) RAD SG8 H1.2 PG KD (6m)	Red Stag Timber	Used in panelised wall, floor, and roof cassettes.	https://www.redstagtimber.co. nz/files/5816/9619/4679/Struct urally_Graded_Timber_202309 22.pdf
150 x 50mm (140x45) RAD SG8 H1.2 PG KD (4.8m or more)	Red Stag Timber	Used in panelised wall, floor, and roof cassettes.	https://www.redstagtimber.co. nz/files/5816/9619/4679/Struct urally_Graded_Timber_202309 22.pdf
Pryda 100 x 50 Clawplate 4C2 SKU: 942101996690; 323	Pryda	Used in panelised wall, floor, and roof cassettes.	Pryda have advised that this product is exempt from the Regulations and a BPIS is not required
Pryda 100 X 75 Clawplate 4C3N SKU: 9312082161090; 240	Pryda	Used in panelised wall, floor, and roof cassettes.	Pryda have advised that this product is exempt from the Regulations and a BPIS is not required
Pryda 100 x 100 Clawplate 4C4N SKU: 9312082161137; 180	Pryda	Used in panelised wall, floor, and roof cassettes.	Pryda have advised that this product is exempt from the Regulations and a BPIS is not required
Pryda 150 x 75 Clawplate 6C3N SKU: 9312082161106; 160	Pryda	Used in panelised wall, floor, and roof cassettes.	Pryda have advised that this product is exempt from the Regulations and a BPIS is not required
Pryda 200 X 100 Clawplate 8C4N SKU: 9312082161151; 90	Pryda	Used in panelised wall, floor, and roof cassettes.	Pryda have advised that this product is exempt from the Regulations and a BPIS is not required
Pryda 250 x 75 Clawplate 10C3 SKU: 942101996676; 86	Pryda	Used in panelised wall, floor, and roof cassettes.	Pryda have advised that this product is exempt from the Regulations and a BPIS is not required
Pryda 100 x 38 Clawplate 4C1H SKU; 94210199689; 431	Pryda	Used in panelised wall, floor, and roof cassettes.	Pryda have advised that this product is exempt from the Regulations and a BPIS is not required
Pryda 100 x 125 Clawplate 4C5 SKU: 942101996694; 130	Pryda	Used in panelised wall, floor, and roof cassettes.	Pryda have advised that this product is exempt from the Regulations and a BPIS is not required
Pryda 100 x 150 Clawplate 4C6N SKU: 9312082161175; 120	Pryda	Used in panelised wall, floor, and roof cassettes.	Pryda have advised that this product is exempt from the Regulations and a BPIS is not required
Pryda 150 x 50 Clawplate 6C2 SKU: 942101996698; 215	Pryda	Used in panelised wall, floor, and roof cassettes.	Pryda have advised that this product is exempt from the Regulations and a BPIS is not required

Product	Supplier	Intended use	Link to product statement
Pryda 150 x 100	Pryda	Used in panelised	Pryda have advised that this
Clawplate 6C4N SKU:		wall, floor, and	product is exempt from the
9312082161144; 120		roof cassettes.	Regulations and a BPIS is not
			required
Pryda 150 x 150	Pryda	Used in panelised	Pryda have advised that this
Clawplate 6C6N SKU:		wall, floor, and	product is exempt from the
9312082161113; 80		roof cassettes.	Regulations and a BPIS is not
			required
Pryda 200 x 125	Pryda	Used in panelised	Pryda have advised that this
Clawplate 8C5 SKU:		wall, floor, and	product is exempt from the
942101996705; 66		roof cassettes.	Regulations and a BPIS is not
			required
Pryda 200 x 200	Pryda	Used in panelised	Pryda have advised that this
Clawplate 8C8; 40		wall, floor, and	product is exempt from the
		roof cassettes.	Regulations and a BPIS is not
			required
Pryda 125 x 75	Pryda	Used in panelised	Pryda have advised that this
Clawplate 5C3 SKU:		wall, floor, and	product is exempt from the
942101996696; 172		roof cassettes.	Regulations and a BPIS is not
			required
Pryda 125 x 150	Pryda	Used in panelised	Pryda have advised that this
Clawplate 5C6; 88		wall, floor, and	product is exempt from the
		roof cassettes.	Regulations and a BPIS is not
			required
Pryda 200 x 75	Pryda	Used in panelised	Pryda have advised that this
Clawplate 8C3N; 120		wall, floor, and	product is exempt from the
		roof cassettes.	Regulations and a BPIS is not
			required
Pryda 250x100	Pryda	Used in panelised	Pryda have advised that this
Clawplate 10C4		wall, floor, and	product is exempt from the
sku:942101996677;		roof cassettes.	Regulations and a BPIS is not
64			required
Pryda 300x100	Pryda	Used in panelised	Pryda have advised that this
Clawplate 12C4 sku :		wall, floor, and	product is exempt from the
942101996683; 53		roof cassettes.	Regulations and a BPIS is not
			required
Pryda 200 x 150	Pryda	Used in panelised	Pryda have advised that this
Clawplate 8C6N		wall, floor, and	product is exempt from the
		roof cassettes.	Regulations and a BPIS is not
			required
Pryda Screw	Pryda	Used in panelised	NZ-FastFix-Stud-To-Wall-Plate-
WM8100PS M8X100		wall, floor and	Screws-PDS.pdf (pryda.co.nz)
(300/packet)		roof cassettes.	
			Website: <u>FastFix[™] Stud to Wall</u>
			Plate Connections - A quick, safe
			stronger solution (pryda.co.nz)
Pryda Screw	Pryda	Used in panelised	NZ-FastFix-Stud-To-Wall-Plate-
WM8150PS M8X150		wall, floor and	Screws-PDS.pdf (pryda.co.nz)
(200/packet)		roof cassettes.	

Supplier	Intended use	Link to product statement
		Website: FastFix [™] Stud to Wall
		Plate Connections - A quick, safe
		stronger solution (pryda.co.nz)
Pryda	Used in panelised	NZ-Framing-Bracket-PDS.pdf
	floor and roof	(pryda.co.nz)
	cassettes.	
		Website: Joist Hangers - Pryda
Pryda		NZ-Framing-Bracket-PDS.pdf
		(pryda.co.nz)
	cassettes.	
		Website: Joist Hangers - Pryda
Pryda		NZ-Split-Joist-Hangers-PDS.pdf
		<u>(pryda.co.nz)</u>
	cassettes.	Mahaita, Calit Jaiat Hanaara
		Website: <u>Split Joist Hangers</u> Pryda NZ
Druda	Licod in papelicod	NZ-Framing-Bracket-PDS.pdf
Pryua	•	(pryda.co.nz)
	casselles.	Website: Joist Hangers - Pryda
Prvda	Used in nanelised	NZ-Framing-Bracket-PDS.pdf
1 i yuu		(pryda.co.nz)
		Website: Joist Hangers - Pryda
Pryda	Used in panelised	NZ-Framing-Bracket-PDS.pdf
	floor and roof	(pryda.co.nz)
	cassettes.	
		Website: Joist Hangers - Pryda
Pryda	Used in panelised	NZ-Bracing-Anchor-PDS.pdf
	wall, floor and	<u>(pryda.co.nz)</u>
	roof cassettes.	
		Website: Bracing Anchor - Pryda
		NZ
Pryda	•	NZ-Concealed-Purlin-Cleats-
	roof cassettes.	PDS.pdf (pryda.co.nz)
		Mahaita: Durlin Clast, Druda
		Website: <u>Purlin Cleat - Pryda</u>
Prvda	Lised in nanalised	NZ-Variable-Skew-Angle-
гтуца		Bracket-PDS.pdf (pryda.co.nz)
		Website: Angle Brace - Pryda
Prvda	Used in panelised	NZ-StrapBrace-and-Maxi-Strap-
	wall, floor and	PDS.pdf (pryda.co.nz)
1	,	
	roof cassettes.	
	Pryda Pryda Pryda Pryda Pryda Pryda Pryda	PrydaUsed in panelised floor and roof cassettes.PrydaUsed in panelised vall, floor and

Product	Supplier	Intended use	Link to product statement
Pryda Maxi Strap	Pryda	Used in panelised	NZ-StrapBrace-and-Maxi-Strap-
30m Coil		wall, floor and	PDS.pdf (pryda.co.nz)
		roof cassettes.	
			Website: <u>Strap Brace - Pryda NZ</u>
Pryda Strap	Pryda	Used in panelised	NZ-StrapBrace-and-Maxi-Strap-
Tensioners 50mm		wall, floor and	PDS.pdf (pryda.co.nz)
		roof cassettes.	Michaita: Chron Droco, Drudo NZ
Pryda Frame Fix	Pryda	Used in panelised	Website: <u>Strap Brace - Pryda NZ</u> NZ-Frame-Fix-PDS.pdf
FIYUA FIAITE FIX	Fiyua	wall, floor, and	(pryda.co.nz)
		roof cassettes.	
			Website: Pryda Frame Fix - re-
			instates the integrity of a
			penetrated top plate or stud
Pryda Nailon Plate	Pryda	Used in panelised	NZ-Nail-On-Plates-and-Angle-
100x1x315mm		wall, floor and	PDS.pdf (pryda.co.nz)
		roof cassettes.	
			Website: Nail-on Plates and
			Angle - Pryda NZ
Pryda Stren Joist	Pryda	Used in panelised	NZ-Stren-Joist-PDS.pdf
(NPSJ)		floor and roof	<u>(pryda.co.nz)</u>
		cassettes.	Website: Stren Joist - Pryda NZ
Pryda Multigrips	Pryda	Used in panelised	NZ-Multigrips-PDS.pdf
Long MGL		wall, floor and	(pryda.co.nz)
		roof cassettes.	<u> </u>
			Website: Multigrips & Minigrips
			<u>- Pryda</u>
Pryda 80mm Cyclone	Pryda	Used in panelised	NZ-Cyclone-Straps-PDS.pdf
Straps QHS9		wall, floor and	(pryda.co.nz)
		roof cassettes.	
			Website: Cyclone Straps - Pryda
Pryda MP Z Nail Left Hand MPZL	Pryda	Used in panelised wall, floor and	NZ-Z-and-U-Nails-PDS.pdf
		roof cassettes.	<u>(pryda.co.nz)</u>
			Website: <u>Z and U Nails - Pryda NZ</u>
Pryda MP Z Nail Right	Pryda	Used in panelised	NZ-Z-and-U-Nails-PDS.pdf
Hand MPZR		wall, floor and	(pryda.co.nz)
		roof cassettes.	
			Website: Z and U Nails - Pryda NZ
Pryda 38 x 60mm	Pryda	Used in panelised	pryda.co.nz/wp-
Framing Bracket		wall, floor and	content/uploads/NZ-Structural-
		roof cassettes.	Brackets-Range-PDS.pdf
			Websites Frencisco Decident
			Website: Framing Brackets -
SPAX Screws 6 x	Spay	liced in panaliced	Pryda NZ SPAX Timber Construction
160mm	Spax	Used in panelised wall, floor and	Screws BPIR Summary 136
		roof cassettes.	(spaxpacific.com)
L	I		

Product	Supplier	Intended use	Link to product statement
VGS Counter	Rothoblaas	Used in panelised	FULLY THREADED SCREW WITH
Structural Wood		wall, floor and	COUNTERSUNK OR HEXAGONAL
Screws 9 x 160mm		roof cassettes.	HEAD VGS ROTHOBLAAS
VGS Self Tapping	Rothoblaas	Used in panelised	FULLY THREADED SCREW WITH
Screw TX50 11 x 200		wall, floor and	COUNTERSUNK OR HEXAGONAL
		roof cassettes.	HEAD VGS ROTHOBLAAS
SST SDWS22500DB	Simpson Strong Tie	Used in panelised	Technical Data
Strong-Drive Timber		wall, floor and	Sheet_SDWS_NZ.pdf
Screw 127mm		roof cassettes.	(strongtie.co.nz)
SST CS18 Heavy Duty	Simpson Strong Tie	Used in panelised	Technical Data Sheet_CS_NZ.pdf
Coil Strap 1.3 x 32mm		wall, floor and	(strongtie.co.nz)
x 61m		roof cassettes.	
SST SAE500/90/2	Simpson Strong Tie	Used in panelised	Technical Data
Face Fix Joist Hanger		floor and roof	Sheet_SAE_NZ.pdf
		cassettes.	(strongtie.co.nz)
SST SDE440/30 Split	Simpson Strong Tie	Used in panelised	Technical Data Sheet SDE.pdf
Joist Hanger		floor and roof	(strongtie.co.nz)
		cassettes.	
SST LUS46/166Z	Simpson Strong Tie	Used in panelised	Technical Data
Double Shear Joist		floor and roof	Sheet_LUS46_NZ.pdf
Hanger		cassettes.	(strongtie.co.nz)
SST Double Shear	Simpson Strong Tie	Used in panelised	Technical Data
Joist Hanger 90mm		floor and roof	Sheet_LUS46_NZ.pdf
		cassettes.	(strongtie.co.nz)
SST LUS46/77Z	Simpson Strong Tie	Used in panelised	Technical Data
Double Shear Joist		floor and roof	Sheet_LUS46_NZ.pdf
Hanger		cassettes.	(strongtie.co.nz)
SST IUSE299/54 Face	Simpson Strong Tie	Used in panelised	Technical Data
Fix I-Joist Hanger		floor and roof	Sheet_IUSE_NZ.pdf
Galvanised		cassettes.	(strongtie.co.nz)
SST A35 EQ Angle	Simpson Strong Tie	Used in panelised	Technical Data
Bracket Galvanised		wall, floor and	Sheet_A34_A35.pdf
		roof cassettes.	(strongtie.co.nz)
	Cinema and Changer Tile		Taskainal Data Chart CC, NZ adf
SST CS20 Coiled Strap	Simpson Strong Tie	Used in panelised	Technical Data Sheet_CS_NZ.pdf
76m		wall, floor and roof cassettes.	(strongtie.co.nz)
SST A23 Angle	Simpson Strong Tie	Used in panelised	Technical Data
Bracket Galvanised	Simpson Strong the	wall, floor and	Technical Data Sheet_A21_A23.pdf
Diacket Galvailiseu		roof cassettes.	(strongtie.co.nz)
SST A34 EQ Angle	Simpson Strong Tie	Used in panelised	Technical Data
Bracket Galvanised	Simpson Strong rie	wall, floor and	Sheet A34 A35.pdf
Bracket Galvanised		roof cassettes.	(strongtie.co.nz)
SST N10HDGPT3000	Simpson Strong Tie	Used in panelised	Technical Data Sheet SCN.pdf
38 x 3.75mm Galv		wall, floor and	(strongtie.co.nz)
Coll Nails 3000PK		roof cassettes.	100 011 Dictoon 27
SST 10D5HDG-R 75 x	Simpson Strong Tie	Used in panelised	Technical Data Sheet SCN.pdf
3.75mm Connector		wall, floor and	(strongtie.co.nz)
Nails 250PK		roof cassettes.	101.011Brc.com21
	1		

Product	Supplier	Intended use	Link to product statement
SST CSHP20 Coiled	Simpson Strong Tie	Used in panelised	Technical Data Sheet CS NZ.pdf
Strap 23m		wall, floor and	(strongtie.co.nz)
		roof cassettes.	
SST H2.5A Hurricane	Simpson Strong Tie	Used in panelised	Technical Data Sheet H.pdf
Tie 35 x 35 x 150mm		wall, floor and	(strongtie.co.nz)
Z275 Galvanised		roof cassettes.	
SST	Simpson Strong Tie	Used in panelised	Technical Data Sheet SCN.pdf
N10DHDGPT2500 64		wall, floor and	(strongtie.co.nz)
x 3.75mm Galvanised		roof cassettes.	
Coll Nails 2500PK			
SST Joist Hanger	Simpson Strong Tie	Used in panelised	Technical Data
SAE500/46/2		floor and roof	Sheet_SAE_NZ.pdf
		cassettes.	(strongtie.co.nz)
SST Post Bracket SST	Simpson Strong Tie	Used in panelised	Technical Data
CPT 44SS Stainless		wall, floor and	Sheet_CPT_NZ.pdf
Steel		roof cassettes.	(strongtie.co.nz)
SST SD10 Connector	Simpson Strong Tie	Used in panelised	Technical Data Sheet_SD_NZ.pdf
Galvanised Screw		wall, floor and	<u>(strongtie.co.nz)</u>
#10 x 1-1/2 SKU :		roof cassettes.	
SD10112R500			
Delfast 90 x 3.15mm	Delfast	Used in panelised	90mm Bright D-Head Nail BPIR
Bright D-Head Nails		wall, floor and	Summary 1697 (delfast.com)
(WITHOUT FUEL)		roof cassettes.	
Delfast Ring HDG Coil	Delfast	Used in panelised	DFC Ring Galvanised Black Coil
Nails:		wall, floor and	Nails BPIR Summary 3821
• 50 x 2.8mm		roof cassettes.	(delfast.com)
• 65 x 2.8mm			
Delfast 75 x 3.15mm	Delfast	Used in panelised	SmartNail Coil Nails BPIR
Ring HDG Jolthead		wall, floor and	Summary 1983 (delfast.com)
Coil Nails		roof cassettes.	
Delfast 63mm 16	Delfast	Used in panelised	Angle Brad Finishing Nails BPIR
gauge Galv Pas Angle		wall, floor and	Summary 1898 (delfast.com)
Brad nail + 2 Fuel	- 16	roof cassettes.	
Delfast 65 x 3.1mm	Delfast	Used in panelised	https://www.delfast.com/media
Galv Roundhead		wall, floor and	/myrhdkdc/bpir-65mm-
Nails Code : FN-		roof cassettes.	galvanised-roundhead-nail-
RD65RG	Mitok		v2.pdf Item is Codemarked and
L/Lok Joist Hanger	Mitek	Used in panelised floor and roof	
Galvanised:			therefore a Building Product
• 47 x 120mm		cassettes.	Information Sheet is not
• 47 x 90mm	Mitok		required.
L/Lok Joist Stiffener	Mitek	Used in panelised	Item is Codemarked and
Galvanised		wall, floor and	therefore a Building Product
		roof cassettes.	Information Sheet is not
L/Lok loist llanger	Mitok	Llood in noralised	required. Item is Codemarked and
L/Lok Joist Hanger	Mitek	Used in panelised	
Zinc:		floor, and roof cassettes.	therefore a Building Product Information Sheet is not
• 95 x 165mm		נמששבוופש.	Information Sheet is not required.
• 47 x 190mm			requireu.

Product	Supplier	Intended use	Link to product statement
L/Lok CPC40	Mitek	Used in panelised	Item is Codemarked and
Concealed Purlin		wall, floor and	therefore a Building Product
Cleat Zinc Bracket		roof cassettes.	Information Sheet is not
			required.
L/Lok CPC80	Mitek	Used in panelised	Item is Codemarked and
Concealed Purlin		wall, floor and	therefore a Building Product
Cleat Zinc Bracket		roof cassettes.	Information Sheet is not
			required.
L/Lok Mitek Multigrip	Mitek	Used in panelised	Item is Codemarked and
HDC Galvanised		wall, floor and	therefore a Building Product
		roof cassettes.	Information Sheet is not
			required.
L/Lok Mitek Multigrip	Mitek	Used in panelised	Item is Codemarked and
Zinc		wall, floor and	therefore a Building Product
		roof cassettes.	Information Sheet is not
			required.
L/Lok Brace Strap	Mitek	Used in panelised	Item is Codemarked and
Galvanised 300 x 25 x		wall, floor and	therefore a Building Product
.91mm 6KN		roof cassettes.	Information Sheet is not
			required.
L/Lok Tylok Nail Plate	Mitek	Used in panelised	Item is Codemarked and
Loose 34 x 120mm		wall, floor and	therefore a Building Product
4T5S Zinc		roof cassettes.	Information Sheet is not
			required.
L/Lok 14G 35mm T17	Mitek	Used in panelised	Clever Core has received a soft
Galvanised Screws		wall, floor and	copy of the relevant product
100 Pack		roof cassettes.	information statement, but this
			is not yet available on the
			supplier's website. A copy of this
			statement is available on
			request from Clever Core and
			refer also to the following link to
			the product details on the
			supplier's website: <u>SCREWS</u>
			<u>Screws - MiTek New Zealand</u> (miteknz.co.nz)
L /Lok Tylek Nail Diate	Mitok	Licod in papalicod	
L/Lok Tylok Nail Plate Loose 34 x 60mm	Mitek	Used in panelised wall, floor and	Item is Codemarked and therefore a Building Product
2T5S Zinc		roof cassettes.	Information Sheet is not
215521110		TOOT Casselles.	
L/Lok 10G 80mm	Mitek	Used in panelised	required. Item is Codemarked and
L/Lok 10G 80mm Blue Purlin Screw 250	IVITLEK	wall, floor and	therefore a Building Product
Pack		roof cassettes.	Information Sheet is not
			required.
L/Lok 14G 75mm T17	Mitek	Used in panelised	Clever Core has received a soft
Gold Screws 100 Pack		wall, floor and	copy of the relevant product
		roof cassettes.	information statement, but this
			is not yet available on the
			supplier's website. A copy of this
			statement is available on

Product	Supplier	Intended use	Link to product statement
			request from Clever Core and refer also to the following link to the product details on the supplier's website: <u>SCREWS</u> <u>Screws - MiTek New Zealand</u> (miteknz.co.nz)
L/Lok Plate-Lok Flush Fix 6KN	Mitek	Used in panelised wall, floor and roof cassettes.	Item is Codemarked and therefore a Building Product Information Sheet is not required.
L/Lok Top Plate Stiffener 350mm x 90mm Galvanised	Mitek	Used in panelised wall, floor and roof cassettes.	Item is Codemarked and therefore a Building Product Information Sheet is not required.
L/Lok Strip Brace 30m w/5 Tensioner Zinc	Mitek	Used in panelised wall, floor and roof cassettes.	Item is Codemarked and therefore a Building Product Information Sheet is not required.
L/Lok SBS3100 Brace Strip 300 x 25mm	Mitek	Used in panelised wall, floor and roof cassettes.	Item is Codemarked and therefore a Building Product Information Sheet is not required.
L/Lok Nailon Plate 300mm x 110mm x 1mm	Mitek	Used in panelised wall, floor and roof cassettes.	Item is Codemarked and therefore a Building Product Information Sheet is not required.
L/Lok Quiet Tie CCCLEAT (Clevercore Cleat)	Mitek	Used in panelised wall, floor and roof cassettes.	Clever Core has received a soft copy of the relevant product information statement, but this is not yet available on the supplier's website. A copy of this statement is available on request from Clever Core and refer also to the following link to the product details on the supplier's website: <u>Class 1:</u> <u>Building Product Information</u> <u>Sheet (gib.co.nz)</u>
L/Lok Quiet Tie Flat Closed Loop	Mitek	Used in panelised wall, floor and roof cassettes.	Clever Core has received a soft copy of the relevant product information statement, but this is not yet available on the supplier's website. A copy of this statement is available on request from Clever Core and refer also to the following link to the product details on the supplier's website: <u>Class 1:</u> <u>Building Product Information</u> <u>Sheet (gib.co.nz)</u>

Product	Supplier	Intended use	Link to product statement
L/Lok Stainless Steel CPC80 SKU: SSCP80	Mitek	Used in panelised wall, floor and roof cassettes.	Item is Codemarked and therefore a Building Product Information Sheet is not required.
L/Lok Screw Stainless Steel: • 14g x 35mm SKU : SC3514SS • 14g x 75mm SKU : 7514SS	Mitek	Used in panelised wall, floor and roof cassettes.	Clever Core has received a soft copy of the relevant product information statement, but this is not yet available on the supplier's website. A copy of this statement is available on request from Clever Core and refer also to the following link to the product details on the supplier's website: <u>SSSCREWS</u> <u>Stainless Steel Screws - MiTek</u> <u>New Zealand (miteknz.co.nz)</u>
L/Lok Tensioner SBTEN SKU : SBTEN	Mitek	Used in panelised wall, floor and roof cassettes.	Item is Codemarked and therefore a Building Product Information Sheet is not required.
L/Lok Galv Product Nails 30mm x 3.15mm SKU : PN30500	Mitek	Used in panelised wall, floor and roof cassettes.	Clever Core has received a soft copy of the relevant product information statement, but this is not yet available on the supplier's website. A copy of this statement is available on request from Clever Core and refer also to the following link to the product details on the supplier's website: <u>PN Product</u> <u>Nails - MiTek New Zealand</u> (miteknz.co.nz)
L/Lok Tylok Plate 6T10S Bowmac M10 x 140	Mitek	Used in panelised wall, floor and roof cassettes. Used in panelised	Item is Codemarked and therefore a Building Product Information Sheet is not required. Product And Producer
Blue Head Anchor Screw	WICER	wall, floor and roof cassettes.	Statements - MiTek New Zealand (miteknz.co.nz)
Hilti M10 HIT-V Rod with HIT-RE500 V4 Injection Mortar	Hilti	Used in panelised wall, floor and roof cassettes.	Technical-data-sheet-for-HIT- RE-500-V4-injectable-mortar-in- concrete-Technical-information- ASSET-DOC-13527227.pdf (hilti.co.nz) Website link: HIT-RE 500 V4 Epoxy anchor - Chemical Anchors - Hilti New Zealand

Product	Supplier	Intended use	Link to product statement
Hilti Epoxy Mortar RE-500 V4	Hilti	Used in panelised wall, floor and roof cassettes.	Technical-data-sheet-for-HIT- RE-500-V4-injectable-mortar-in- concrete-Technical-information- ASSET-DOC-13527227.pdf (hilti.co.nz)Websitelink:HIT-RE500V4EpoxyEpoxyanchor-Chemical
Hilti Injectable Mortar Hit-Re 500V4/500/1	Hilti	Used in panelised wall, floor and roof cassettes.	Anchors - Hilti New Zealand <u>Technical-data-sheet-for-HIT-</u> <u>RE-500-V4-injectable-mortar-in-</u> <u>concrete-Technical-information-</u> <u>ASSET-DOC-13527227.pdf</u> (hilti.co.nz) Website link: <u>HIT-RE 500 V4</u> <u>Epoxy anchor - Chemical</u> Anchors - Hilti New Zealand
Hilti HUS 6 x 140 Screw Anchor Carbon Steel Zinc	Hilti	Used in panelised wall, floor and roof cassettes.	Anchors - Mich New Zealand Technical-data-sheet-for-HUS-6- HUS-S-6-screw-anchor- Technical-information-ASSET- DOC-8227442.pdf (hilti.co.nz) Website link: HUS 6 Screw anchor - Mechanical Anchors - Hilti New Zealand
Hilti HUS 6 x 160 Screws T40	Hilti	Used in panelised wall, floor and roof cassettes.	Technical-data-sheet-for-HUS-6-HUS-S-6-screw-anchor-Technical-information-ASSET-DOC-8227442.pdf (hilti.co.nz)Website link: HUS 6 Screwanchor - Mechanical Anchors -Hilti New Zealand
Hilti Screw HUS3-H 6mmx45mm (100per packet)	Hilti	Used in panelised wall, floor and roof cassettes.	Technical-data-sheet-for-the- HUS3-screw-anchor-Technical- information-ASSET-DOC- 3357463.pdf (hilti.co.nz) Website link: HUS3-H 6 Concrete screw anchor - Mechanical Anchors - Hilti New Zealand
Bostik Mastic Sealer (Supplier Code: 30804526)	Glass Tools	Used in panelised wall, floor and roof cassettes.	5612 Mastic Sealer Bostik Bostik New Zealand
Wurth Screw 6.3x80mm Wing Pias PlateC/Sung HSeries500 300cc	Wurth	Used in panelised wall, floor and roof cassettes.	Clever Core has received a soft copy of the relevant product information statement, but this is not yet available on the supplier's website. A copy of this

Product	Supplier	Intended use	Link to product statement
			statement is available on
			request from Clever Core and
			refer also to the following link to
			the product details on the
			supplier's website: Buy Wing-
			pias steel flake zinc silver
			cntrsnk. head AW online
			(wurth.co.nz)
Covertek 407 1250	Dimond Roofing	Used in roof	Codemark link: CodeMark 30028
50M2 (Underlay)		cassettes.	Covertek 407 1022.pdf - Google
			<u>Drive</u>
			Website link:
			https://www.thermakraft.co.nz
			/products/roof-
			underlay/covertek-
			407#TechnicalDownloads
Bayonet Galvanised	Dimond Roofing	Used in roof	75mm Roof Netting BayoGAL
Wire Netting		cassettes.	Plus Bayonet
2000x75x1mm			
100m2			
Styleline 0.40	Dimond Roofing	Used in roof	Styleline Dimond Roofing
Zinacore		cassettes.	
Flashing 0.55	Dimond Roofing	Used in roof	BUILDING PRODUCT
Magnaflow		cassettes.	INFORMATION SHEETS -
			<u>ColorCote®</u>
Std Ridge Magnaflow	Dimond Roofing	Used in roof	BUILDING PRODUCT
		cassettes.	INFORMATION SHEETS -
Styleline 0.55	Dimond Roofing	Used in roof	<u>ColorCote®</u> Styleline Dimond Roofing
Styleline 0.55 Zinacore		cassettes.	
Adlux Maxlight	Adlux		Clever Core has received a soft
Tubelite Kit		cassettes.	copy of the relevant product
		casselles.	information statement, but this
			is not yet available on the
			supplier's website. A copy of this
			statement is available on
			request from Clever Core and
			refer also to the following link to
			the product details on the
			supplier's website: <u>Tubular</u>
			Skylights - Adlux Industries Ltd
Adlux Roof Window	Adlux	Used in roof	Clever Core has received a soft
		cassettes.	copy of the relevant product
			information statement, but this
			is not yet available on the
			supplier's website. A copy of this
			statement is available on
			request from Clever Core and
			refer also to the following link to

Product	Supplier	Intended use	Link to product statement
			the product details on the supplier's website: <u>Roof</u> <u>Windows Skylight Windows NZ</u> <u> Adlux Industries</u>
Adlux Through Roof Ventilation Kit	Adlux	Used in roof cassettes.	Clever Core has received a soft copy of the relevant product information statement, but this is not yet available on the supplier's website. A copy of this statement is available on request from Clever Core and refer also to the following link to the product details on the supplier's website: Sky Lighting & Roof Access - Adlux Industries Ltd
Stair (DG Pine PQ/ Teco CPD Ply)	Continental Stairs Ltd	Used in panelised wall and floor cassettes.	Teco+Radiata+Structural+BPIR+ Declaration.pdf (squarespace.com)
Tasman 35™ Double Glazing	Vistalite Windows & Doors	Used in panelised walls	Class 2: Building Product Information Sheet - T35 (altus.co.nz)
Thermal Residential Suite (Double Glazing)	Huntly Joinery Windows System	Used in panelised walls	APLBPIRResidentialThermalInclKLIMAv3.indd(huntlyjoinerywindows.co.nz)
Gamma Bracing GBF220	Gamma Bracing Technologies Ltd	Used in panelised walls	BPIR (gammabracing.co.nz)
Ecoply Barrier	CHH Plywood	Used in panelised walls	Ecoply [®] Barrier » Plywood NZ (chhply.co.nz)
EcoplyBarrier Sealing tape	CHH Plywood	Used in panelised walls	827_2019_a1_Udz4ljf.pdf (d39d3mj7qio96p.cloudfront.ne t)
Waipapa Pine SG8 H1.2 (90x45) 6m	Placemakers	Used in panelised roof cassettes	Waipapa Pine – Fletcher Wood Products (fwp.co.nz)
Eurotop N35 Underlay 1.5 x 50m	Frame Protection Solutions	Used in panelised roof cassettes	Item is Codemarked and therefore a Building Product Information Sheet is not required.
Eurotop W35 Underlay 2.75 x 50m	Frame Protection Solutions	Used in panelised wall cassettes	Item is Codemarked and therefore a Building Product Information Sheet is not required.

Product identifier (*if applicable*):

N/A

Place of manufacture: Aotearoa New Zealand

Overseas

Х

Legal and trading name of the manufacturer(s):

Clever Core New Zealand Limited

Legal and trading name of the importer (*if applicable*):

N/A

Address for service:

810 Great South Road, Penrose, Auckland, 1061, New Zealand

Website:

Email address:

Phone No. (*if applicable*):

NZBN (*if applicable*)

 https://clevercore.nz/

 FBLegaINZ@fb.co.nz

 0800 692 538

 9429046907707

Relevant Building Code clauses

- B1 Structure: Performance clauses B1.3.1, B1.3.2, B1.3.3, B1.3.4
- C3 Fire affecting areas beyond the fire source: Performance clauses C3.9
- D1 Access routes: Performance clauses D1.3.1(b)
- E2 External moisture: Performance clauses E2.3.2 (partially, roofs only, walls not fully as cladding is required)
- F4 Safety from falling: Performance clauses F4.3.1 and F4.3.4
- F5 Construction and demolition hazards: Performance clauses F5.3.1 and F5.3.4
- G4 Ventilation: Performance clauses G4.3.1
- G7 Natural light: Performance clauses G7.3.1 and G7.3.2
- H1 Energy efficiency provisions: Performance clauses H1.3.1

Statement on how the building product is expected to contribute to compliance:

When installed, along with additional components, the product contributes to the following provisions of the NZ Building Code:

- **B1.3.1, B1.3.2, B1.3.3, B1.3.4:** CLEVER CORE PANELISED HOME is fabricated to the structural requirements specified in the approved building consent documents and project requirements.
- **C3.9:** CLEVER CORE PANELISED HOME is fabricated to the fire requirements specified in the approved building consent documents and project requirements.
- **D1.3.1(b):** CLEVER CORE PANELISED HOME contains doors that provide an access route to the building.
- **E2.3.2:** CLEVER CORE PANELISED HOME is fabricated and finalised with roofs that prevent the penetration of water. The wall system is excluded as it depends on cladding to be fully compliant with this clause.
- **F4.3.1 and F4.3.4:** CLEVER CORE PANELISED HOME is fabricated with opening restrictors as specified in the approved building consent documents and project requirements.

- **F5.3.1 and F5.3.4:** CLEVER CORE PANELISED HOME is installed using safe methods of construction that ensure the safety of the workers and are in line with the goal of the company 'Protect'.
- **G4.3.1:** CLEVER CORE PANELISED HOME is fabricated as per design documentation that complies with ventilation requirements as specified in the approved building consent documents and project requirements.
- **G7.3.1 and G7.3.2:** CLEVER CORE PANELISED HOME is fabricated as per design documentation that complies with natural light requirements as specified in the approved building consent documents and project requirements.
- **H1.3.1:** CLEVER CORE PANELISED HOME is fabricated as per design documentation that complies with energy efficiency requirements as specified in the approved building consent documents and project requirements.

Limitations on the use of the building product:

• It should be noted that Clever Core products do not satisfy code requirements on their own but contribute to code compliant performance when installed in accordance with other components of a building project.

Design requirements that would support the use of the building product:

• The design of the product relies on the individual product statements and design documentation provided as part of the application for the building consent.

Installation requirements:

• Clever Core manufactures and installs its own products using experienced tradespeople (i.e. the purchaser of the product is not required to undertake any installation).

Maintenance requirements:

• The Clever Core product is subject to the Maintenance Schedule provided as part of the application for building consent and other related documents.

Is the building product/building product line subject to warning or ban under section 26?:



If yes, description of the warning or ban under section 26: Date: 11/12/2023